



ENDOSCOPY CENTER
OF SOUTHEAST TEXAS

950 N 14th St. Suite 200
Beaumont, TX 77702
409-833-5555

PLEASE READ ALL PAPERWORK CAREFULLY

MIRALAX Bowel Prep Instructions – ONE DAY

2 Days prior to procedure:

****At bedtime**, take 10mg of Dulcolax (two 5mg tablets) with a glass of water. **(You may resume a normal diet on this day.)**

The day before the procedure:

****** You may have clear liquids **ONLY** such as green or yellow Jell-O, broth, soft drinks (Coke, Dr. Pepper, Sprite, etc.) black coffee, tea, apple juice, white grape juice...**BUT WITHOUT red, orange, blue or purple coloring, and no milk products or juices with pulp.**

****At 3:00pm**, take 10mg of Dulcolax (two 5mg tablets) with a glass of water.

****At 4:00pm**, mix one dose of over-the-counter Miralax with 8oz of Crystal Light, Propel or Water. Begin drinking one 8 oz glass of liquid (each glass with a dose of Miralax) every 20 minutes, with a **total of 10 to 12 doses/glasses**, until bowels are clear.

*Once the above preparation is completed, you may have any of the above approved **sugar free clear liquids until 3 hours prior to your arrival time.**

*You **DO** need to continue taking any blood pressure, seizure, or heart medication, taking them with a small sip of water the morning of your procedure up to 3 hours before your arrival.

***DIABETICS OR WEIGHT LOSS PATIENTS:** Patients taking semaglutide, dulaglutide or other glucagon-like peptide-1 (GLP-1) receptor agonists or injections for diabetes or weight loss require clearance to hold the injections for **7 days** to the procedure date. (Ozempic, Trulicity, Mounjaro, Rybelsus, Victoza, Saxenda, Adlyxi, Bydureon, BCise, Byetta, Wegovy or Tanzeum)

*Stop all **MEDICATION WITH IRON 5 days** prior to your procedure, unless otherwise directed by your physician.



ENDOSCOPY CENTER
OF SOUTHEAST TEXAS

950 N 14th St. Suite 200

Beaumont, TX 77702

409-833-5555

PLEASE READ ALL PAPERWORK CAREFULLY

*Stop all **BLOOD THINNERS** as instructed by your physician prior to your procedure. It is not necessary to stop aspirin for this procedure. Please call the number below if you are taking a blood thinner and did not receive instructions on how to hold.

***DIABETICS** should take half of the diabetic medication on the day prior to the procedure and hold all diabetic medications on the day of the procedure, unless otherwise specified by your physician. Bring diabetic medication with you to take after your procedure.

*If you are scheduled at The Endoscopy Center of Southeast Texas, **you will receive an email or text invitation from no-reply@southeasttxendo.com to join the Patient Portal to complete your registration for The Endoscopy Center of Southeast Texas.** If you are not able to register electronically, complete the MEDICATION RECONCILIATION FORM and take it to the Center on the day of your procedure.

* **Do not use tobacco products, no chewing gum, and no hard candy/mints the day of your procedure.**

* **You will need someone to stay at the Center during the procedure and drive you home afterwards.**

Due to new patient privacy laws, you may require a follow-up visit with your physician or nurse practitioner. If the biopsy or polyp removal is performed at the time of your procedure, you will be given an office appointment at which time the pathology findings will be discussed with you.

**If you have any questions about these instructions,
please call 409-833-5555**